

## AUTHOR INDEX

- ADEDIPE, N. O. See Nonnecke, I. L., 479.
- ADEDIPE, N. O. See Ormrod, D. P., 283.
- ALI-KHAN, S. T. and KENASCHUK, E. O. Tempest buckwheat, 433.
- ANDERSON, G. W. See Watkin, E. M., 163.
- ANDERSON, L. J. See Buzzell, R. I., 337.
- ASHFORD, R. See Lawrence, T., 41.
- ASHRAFF, M. A. See Molberg, E. S., 371.
- AUSTENSON, H. M. See Junk, R. J. G., 309.
- AYLESWORTH, J. W. See Buzzell, R. I., 337.
- BAIER, W. Evaluation of latent evaporation estimates and their conversion to potential evaporation, 255.
- BAKER, R. J. Effects of stem rust and leaf rust of wheat on genotype-environment interaction for yield, 457.
- BAKER, R. J. Theoretical variance of response to modified pedigree selection, 463.
- BAKER, R. J. See Pesek, J., 187.
- BAKER, R. J. and CAMPBELL, A. B. Evaluation of screening tests for quality of bread wheat, 449.
- BAKER, R. J., TIPPLES, K. H. and CAMPBELL, A. B. Heritabilities of and correlations among quality traits in wheat, 441.
- BERG, M. A. See McNeal, F. H., 25.
- BERKENKAMP, B. Effect of coumarin on some pathogens of sweetclover, 299.
- BLATT, C. R. Effect of dolomitic limestone applications on the strawberry cultivar 'Acadia', 167.
- BLIGH, D. F. See Moffatt, J. E., 343.
- BOYD, W. J. R., GORDON, A. G. and LACROIX, L. J. Seed size, germination resistance and seedling vigor in barley, 93.
- BREMNER, FRANCES, D. J. See Ross, R. G., 29.
- BROWN, D. MURRAY. See Rahn, James J., 173.
- BROWN, D. M. See Selirio, I. S., 35.
- BUZZELL, R. I., AYLESWORTH, J. W., HAAS, J. H. and ANDERSON, L. J. Harwood soybean cultivar, 337.
- CALDER, F. W. See Langille, J. E., 499.
- CAMPBELL, A. B. See Baker, R. J., 441.
- CAMPBELL, A. B. See Baker, R. J., 449.
- CAMPBELL, J. D. See Shaykewich, C. F., 505.
- CANSFIELD, P. E. Letter to the editors, 345.
- CHIANG, M. S. and NIP, W. K. Free amino acids content in root tissue of clubroot resistant and susceptible cabbages, 66.
- CHIASSON, T. C. See Gill, C. C., 361.
- CHIPMAN, E. W. and FORSYTH, F. R. Characteristics of the epidermal layer of carrot roots grown on peat and mineral soil, 513.
- CHONG, CALVIN. Study of the seasonal and daily distribution of sorbitol and related carbohydrates within apple seedlings by analysis of selected tissues and organs, 519.
- CHONG, CALVIN and TAPER, C. D. Effect of solar radiation on seasonal concentrations of sorbitol and related carbohydrates in apple leaves, 551.
- CLARK, K. W. See Woods, D. L., 323.
- CONVERSE, R. H., DAUBENY, HUGH A., STACE-SMITH, R., RUSSELL, LOUISE M., KOCH, E. J. and WIGGANS, S. C. Search for biological races in *Amphorophora agathonica* Hottes on red raspberries, 81.

- CORDUKES, W. E. and PARUPS, E. V. Chloride uptake by various turfgrass species and cultivars, 485.
- CORKE, A. T. K. See Fisher, R. W., 535.
- CORNS, Wm. G. and GUPTA, R. K. Chemical control of cattail, *Typha latifolia*, 491.
- CORNS, Wm. G. and GUPTA, R. K. Winter survival, forage and grain yields of spring-seeded winter wheat and winter rye mowed once or several times before winter, 211.
- CUTCLIFFE, J. A. See Munro, D. C., 109.
- CUTCLIFFE, J. A. See Munro, D. C., 197.
- DAUBENY, HUGH A. Totem strawberry, 176.
- DAUBENY, HUGH A. See Converse, R. H., 81.
- DAYNARD, T. B. See Finlay, R. C., 527.
- DE JONG, E. See Yang, S. J., 333.
- DOLMAN, D. See Freyman, S., 340.
- ESTEY, R. H. See Panayi, C., 405.
- ETTER, HAROLD M. Nitrogen and phosphorus requirements during the early growth of white spruce seedlings, 61.
- FARIS, D. G. and LOCK, H. A grain handling system for experimental plots, 79.
- FEDAK, GEORGE and RAJHATHY, TIBOR. Alpha amylase distribution and DDT response in Canadian barley cultivars, 353.
- FEJER, S. O. See Spangelo, L. P. S., 377.
- FEJER, S. O. and SPANGELO, L. P. S. Festival red raspberry, 554.
- FINLAY, R. C., REINBERGS, E. and DAYNARD, T. B. Yield response of spring barley to row spacing and seeding rate, 527.
- FISHER, R. W. and CORKE, A. T. K. Infection of Yarlington Mill fruit by the apple scab fungus, 535.
- FLETCHER, J. T. and MacNeill, B. H. Influence of environment, cultivar and virus strain on the expression of tobacco mosaic virus symptoms in tomato, 101.
- FORSYTH, F. R. See Chipman, E. W., 513.
- FOWLER, D. B. See Miller, H., 219.
- FRANKLIN, E. W. See Loughheed, E. C., 170.
- FREEMAN, JACK A. and PEPIN, H. S. Influence of plant size, data of digging and duration of cold storage on the growth of strawberry plants, 267.
- FREYMAN, S. and DOLMAN, D. A simple systematic design for planting density experiments with set row widths, 340.
- FULKERSON, R. S. Agronomic studies with fodder rape (*Brassica napus* var. *biennis*), 305.
- GILL, C. C., LAWRENCE, C. H. and CHIASSON, T. C. Prevalence of barley yellow dwarf on cereals in New Brunswick in 1970, and effect of the virus on forage yield of oats, 361.
- GOPLEN, B. P. Polara, a low coumarin cultivar of sweetclover, 249.
- GOPLEN, B. P. Yukon sweetclover, 178.
- GORDON, ANDREW G. The germination resistance test - a new test for measuring germination quality of cereals, 181.
- GORDON, A. G. See Boyd, W. J. R., 93.
- GRANT, E. A. Effect of nitrogen, potassium and stage of harvesting on haplocorm formation and persistence of timothy, 68.
- GROSS, A. T. H. Evaluation of bromegrass progeny for spring vigor, fall growth and hay yield, 215.
- GUBBELS, G. H. Response of cabbage grown north of latitude 60°N to plastic mulch, ridging, and row orientation, 17.
- GUPTA, R. K. See Corns, Wm. G., 211.
- GUPTA, R. K. See Corns, Wm. G., 491.
- HAAS, J. H. See Buzzell, R. I., 337.

# AUTHOR INDEX

- HAGBORG, W. A. F. Plantvax emulsifiable concentrate in the control of leaf and stem rusts in wheat, 239.
- HALL, I. V. Cranberry growth as related to water levels in the soil, 237.
- HALL, IVAN V. and MURRAY, ROBERT A. Letter to the editors, 345.
- HANNA, M. R. See Johnston, A., 428.
- HARNEY, PATRICIA M. Aladdin, a new geranium cultivar, 556.
- HARVEY, B. L. See Kao, K. N., 21.
- HARVEY, B. L. See Walton, P. D., 151.
- HARVEY, B. L. See Yap, T. C., 115.
- HEINRICHS, D. H. Drylander alfalfa, 430.
- HEINRICHS, D. H. Spreading rate of creeping-rooted alfalfa, 367.
- HEINRICHS, D. H. See Kilcher, M. R., 317.
- HEINRICHS, D. H. See Kilcher, M. R., 391.
- HIRONAKA, R. See Johnston, A., 428.
- HOCKING, R. P. See Timbers, G. E., 434.
- HOFSTRA, G. See Ormrod, D. P., 283.
- HSU, C. S. See Spangelo, L. P. S., 377.
- HUNT, L. C. See Miller, S. R., 438.
- JACKSON, L. P. See Ragab, M. T. H., 331.
- JOHN, M. K. See Maurer, A. R., 275.
- JOHNSTON, A. and SMOLIAK, S. Evaluating competition among timothy seedlings, 425.
- JOHNSTON, A., SMOLIAK, S., HIRONAKA, R. and HANNA, M. R. Oxley cicer milkvetch, 428.
- JUNK, R. J. G. and AUSTENSON, H. M. Variability of grass quality as related to cultivar and location in western Canada, 309.
- KALTSIKES, P. J. and LEE, J. Intra-line variation in hexaploid triticales revealed by clonal propagation, 543.
- KAO, K. N., HARVEY, B. L., LARTER, E. N. and REINBERGS, E. Effects of 5-Bromo-deoxyuridine in autotetraploid barley, 21.
- KAUFMANN, M. L. Random, a new lodging resistant oat, 339.
- KAUFMANN, M. L. The random method of oat breeding for productivity, 13.
- KEMP, W. G. Temperature-induced effects on carnation mottle virus infection, 289.
- KENASCHUK, E. O. See Ali-Khan, S. T., 433.
- KILCHER, M. R. and HEINRICHS, D. H. Stand patterns for alfalfa-grass hay production in a dry climate, 317.
- KILCHER, M. R. and HEINRICHS, D. H. Sward assessment of ten irrigated pasture mixtures in southern Saskatchewan, 391.
- KING, K. M. See Selirio, I. S., 35.
- KOCH, E. J. See Converse, R. H., 81.
- LaBERGE, D. E., MacGREGOR, A. W. and MEREDITH, W. O. S. Changes in alpha- and beta-amylase activities during the maturation of different barley cultivars, 469.
- LaCROIX, L. J. See Boyd, W. J. R., 93.
- LANGILLE, J. E. and CALDER, F. W. Effect of harvesting practices on foliage and root development, digestibility, cold hardiness and nodulation of birdsfoot trefoil, 499.
- LAPINS, K. O. Mutants of Golden Delicious apple induced by ionizing radiation, 123.
- LAPINS, K. O. Stella, a self-fruitful sweet cherry, 252.
- LAPINS, K. O. Summerland apple, 180.
- LARTER, E. N. See Kao, K. N., 21.
- LAWRENCE, C. H. See Gill, C. C., 361.
- LAWRENCE, T., WARDER, F. G. and ASHFORD, R. Effect of stage and height of cutting on the crude protein content and crude protein yield of intermediate wheatgrass, bromegrass, and reed canarygrass, 41.

- LEBEAU, J. B. See Moffatt, J. E., 343.
- LEE, J. See Kaltsikes, P. J., 543.
- LOCK, H. See Faris, D. G., 79.
- LOPATECKI, L. E. See Porritt, S. W., 409.
- LOUGHEED, E. C. See Miller, S. R., 87.
- LOUGHEED, E. C. and FRANKLIN, E. W. Ethylene production of apples at 20 C after storage at 0 C, 170.
- MacGREGOR, A. W. See LaBerge, D. E., 469.
- MacNEILL, B. H. See Fletcher, J. T., 101.
- MAURER, A. R. and JOHN, M. K. Effect of soil fumigation and six soil water regimes on mineral content of carrots, 275.
- McGUIRE, C. F. See McNeal, F. H., 25.
- McKENZIE, HUGH. Inheritance of subcrown internode length in four spring wheat cultivars, 133.
- McNEAL, F. H., STEWART, V. R., BERG, M. A. and McGUIRE, C. F. Agronomic and quality characteristics of some glabrous- and pubescent-glumed spring wheat populations, 25.
- MEHERIUK, M. and PORRITT, S. W. Controlled atmosphere storage behavior of a spur and standard type Red Delicious apple, 246.
- MEHERIUK, M. See Porritt, S. W., 409.
- MELLOR, G. E. and SHEARD, R. W. Comparison of the nitrate metabolism in orchardgrass and birdsfoot trefoil, 399.
- MEREDITH, W. O. S. See LaBerge, D. E., 469.
- MILLER, H. and FOWLER, D. B. Centrifuge absorption and protein content as indices of wheat quality, 219.
- MILLER, S. R. and HUNT, L. C. Collection of xylem sap from apple trees by vacuum, 438.
- MILLER, S. R. and LOUGHEED, E. C. Residual effects of Alar on the carbon dioxide and ethylene production of McIntosh apples at harvest and after long storage, 87.
- MILLS, J. T. and SCHREIBER, K. Use of latex-coated pellets for control of common root rot of wheat, 347.
- MOFFATT, J. E., BLIGH, D. F. and LEBEAU, J. B. A bench-mounted mowing machine for turf experiments, 343.
- MOLBERG, E. S. and ASHRAFF, M. A. Benazolin for selective weed control in wheat and oilseed crops, 371.
- MORRIS, RAY F. and PENNEY, B. G. Persistence of linuron residues in soils at Kelligrews, Newfoundland, 242.
- MUNRO, D. C. and CUTCLIFFE, J. A. Available soil potassium and fertilizer potassium for Brussels sprouts, 197.
- MUNRO, D. C. and CUTCLIFFE, J. A. Effect of available soil phosphorus on yields and response of Brussels sprouts to fertilizer phosphorus in the field, 109.
- MURRAY, ROBERT A. See Hall, Ivan V., 345.
- NETOLITZKY, H. J. and SKOROPAD, W. P. Effect of sulfur compounds on appressorium formation by *Colletotrichum graminicola*, 49.
- NIP, W. K. See Chiang, M. S., 66.
- NONNECKE, I. L., ADEDIPE, N. O. and ORMROD, D. P. Temperature and humidity effects on the growth and yield of pea cultivars, 479.
- OLOFFS, P. C., SZETO, S. Y. and WEBSTER, J. M. Translocation of organochlorine pesticide residues from soils into carrots, 547.
- ORMROD, D. P., ADEDIPE, N. O. and HOFSTRA, G. Responses of cucumber, onion and potato cultivars to ozone, 283.
- ORMROD, D. P. See Nonnecke, I. L., 479.
- ORMROD, D. P. See Pittman, U. J., 64.
- PANAYI, C. and ESTEY, R. H. Control of the root-knot nematode *Meloidogyne hapla* with the insecticide-nematicide Lannate, 405.

# AUTHOR INDEX

- PARUPS, E. V. See Cordukes, W. E., 485.
- PELLETT, HAROLD. Comparison of cold hardness levels of root and stem tissue, 193.
- PENNEY, B. G. See Morris, Ray F., 242.
- PEPIN, H. S. See Freeman, Jack A., 267.
- PESEK, J. and BAKER, R. J. Comparison of predicted and observed responses to selection for yield in wheat, 187.
- PITTMAN, U. J. and ORMROD, D. P. Biomagnetic responses in germinating malting barley, 64.
- PORRITT, S. W. See Meheriuk, M., 246.
- PORRITT, S. W., LOPATECKI, L. E. and MEHERIUK, M. Surface pitting - a storage disorder of sweet cherries, 409.
- RAGAB, M. T. H. and JACKSON, L. P. Aminotriazole residues in lowbush blueberry fruit, 331.
- RAHN, JAMES J. and BROWN, D. MURRAY. Corn canopy temperatures during freezing or near-freezing conditions, 173.
- RAJHATHY, TIBOR. See Fedak, George, 353.
- REINBERGS, E. See Finlay, R. C., 527.
- REINBERGS, E. See Kao, K. N., 21.
- ROSS, R. G. and BREMNER, FRANCES, D. J. Effect of ammonium nitrogen and amino acids on perithecial formation of *Venturia inaequalis*, 29.
- RUSSELL, LOUISE M. See Converse, R. H., 81.
- SCHREIBER, K. See Mills, J. T., 347.
- SELIRIO, I. S., BROWN, D. M. and KING, K. M. Estimation of net and solar radiation, 35.
- SHANMUGANATHAN, M. See Teskey, B. J. E., 73.
- SHAYKEWICH, C. F., YAMAGUCHI, M. and CAMPBELL, J. D. Nutrition and blossom-end rot of tomatoes as influenced by soil water regime, 505.
- SHEARD, R. W. See Mellor, G. E., 399.
- SKOROPAD, W. P. See Netolitzky, H. J., 49.
- SMITH, A. See Walton, P. D., 151.
- SMOLIAK, S. See Johnston, A., 425.
- SMOLIAK, S. See Johnston, A., 428.
- SPANGELO, L. P. S. See Fejer, S. O., 554.
- SPANGELO, L. P. S., WATKINS, R., HSU, C. S. and FEJER, S. O. Combining ability analysis in the cultivated strawberry, 377.
- STACE-SMITH, R. See Converse, R. H., 81.
- STEVENSON, A. B. and VIRGO, B. B. Damage by robins and starlings to grapes in Ontario, 201.
- STEWART, V. R. See McNeal, F. H., 25.
- STORGAARD, A. K. See Waddington, J., 143.
- SUZUKI, MICHIO. Semi-automatic analysis of the total available carbohydrates in alfalfa roots, 184.
- SZETO, S. Y. See Oloffs, P. C., 547.
- TAPER, C. D. See Chong, Calvin, 551.
- TESKEY, B. J. E. and SHANMUGANATHAN, M. Carbon dioxide and ethylene evolution resulting from use of low rates of 2-chloroethylphosphonic acid (Ethrel) on apple, 73.
- TIMBERS, G. E. and HOCKING, R. P. A temperature gradient bar for seed germination and cold hardness studies, 434.
- TIPPLES, K. H. See Baker, R. J., 441.
- TOWNSEND, L. R. Effect of acidity on growth and nutrient composition of the highbush blueberry, 385.
- TWAMLEY, B. E. Selection method for seedling vigor in birdsfoot trefoil, 229.
- TWAMLEY, B. E. Studies on seed size of birdsfoot trefoil, 71.
- VANDEN BORN, W. H. Green foxtail: seed dormancy, germination and growth, 53.

- VIRGO, BRUCE B. Bird damage to sweet cherries in the Niagara Peninsula, Ontario, 415.
- VIRGO, B. B. See Stevenson, A. B., 201.
- WADDINGTON, J. and STORGAARD, A. K. Tiller growth and development cycle in *Bromus inermis* grown for seed in southern Manitoba, 143.
- WALTON, P. D., HARVEY, B. L. and SMITH, A. Western Co-operative cultivar tests, 1953-1968, 151.
- WARDER, F. G. See Lawrence, T., 41.
- WATKIN, E. M., WINCH, J. E. and ANDERSON, G. W. Establishment of birdsfoot trefoil in paraquat-treated roughland pastures, 163.
- WATKINS, R. See Spangelo, L. P. S., 377.
- WEBSTER, J. M. See Oloffs, P. C., 547.
- WIGGANS, S. C. See Converse, R. H., 81.
- WILLIAMS, G. D. V. Wheat phenology in relation to latitude, longitude and elevation on the Canadian Great Plains, 1.
- WINCH, J. E. See Watkin, E. M., 163.
- WOODS, D. L. and CLARK, K. W. Genetic control and seasonal variation of some alkaloids in reed canarygrass, 323.
- YAMAGUCHI, M. See Shaykewich, C. F., 505.
- YANG, S. J. and DE JONG, E. Diurnal fluctuation and relative magnitude of water potential in wheat tissue, 333.
- YAP, T. C. and HARVEY, B. L. Heterosis and combining ability of barley hybrids in densely and widely seeded conditions, 115.

15.

*romus*

tests,

refoil

n the

aloids

ential

nsely